


Additional notes as requested by
Buckinghamshire Highways

- 1 Any covers likely to be overrun must be D400 Heavy Duty specification'.
- 2 All works must be inspected in accordance with the Council's 'pre-commencement ticksheet' available upon request from the Council's Highways Development Management Team.
- 3 All highway verges effected by the works must be top soiled and seeded prior to the provisional certificate being issued.
- 4 All existing highway reinstatements must be one full lane width minimum i.e to the centreline.
- 5 Any tie-in areas must be discussed and agreed with the Transport Inspector onsite'.
- 6 The contractor must present NRSWA accreditation cards upon Inspector's request onsite.
- 7 All lining within the extents of the scheme to be refreshed.



PROPOSED CHICANE FEATURE
(TRAFFIC CALMING FEATURE 7)

Proposed Glasdon
"Glaswood 170"
socketted bollard

Proposed Glasdon
"Glaswood 170"
socketted bollard

MILES COURT

Line Type Schedule (dims in mm)					
Diag.	Width	Colour	Line	Space	Line
1003 A	200	White	600	300	600
1004	100	White	4000	2000	4000
1009 A	100	White	600	300	600
1010	100	White	1000	1000	1000
1028.4	100	White	600	600	600
1049 B	200	White	Continuous		
1023 A		White	3750 long		

Saw cut joint

Saw cut joint

Existing surfacing to be planed off and
new 40mm thick coloured tarmac
wearing course applied.
Colour to be "Heritage".

PROPOSED "HERITAGE COLOURED"
TARMAC SURFACING
(TRAFFIC CALMING FEATURE 6)

Location of existing controlled crossing
(to remain)

ISSUED FOR
CONSTRUCTION

TECHNICALLY
APPROVED BY
ADOPTING AUTHORITY

Cont'd on Drawing 12-005-506

Cont'd on Drawing 12-005-506

- NOTES
1. This drawing is to be read in conjunction with the relevant specification and the following drawings:-
12-005-501 to 12-005-504 and 12-005-506 to 12-005-511
- General Arrangement Layouts.
 2. All materials and workmanship shall comply fully with the Manual of Contract Documents for Highways Works, Specification for Highways Works Volume 1 and the Buckinghamshire County Council Specification for Road Construction and Standard Details.
 3. Refer to drawings 12-005-512 to 12-005-522 inclusive for Site Clearance Plans.
 4. Refer to drawings 12-005-523 to 12-005-533 inclusive for Surface Finishes Plans.
 5. Refer to drawings 12-005-534 to 12-005-544 for the Existing Services Plans.
 6. Do NOT scale from this drawing. Work from figured dimensions and Setting Out information ONLY.

F	Tarmac specification amended as agreed	EV	GG	GC	Sept 24
D	Amended following discussions with BC highways	EV	GG	GC	Aug 24
E	Issued for Construction - Technically approved	EV	GG	GC	July 24
C	Lining table amended following Technical Comments 3 from BC highways	EV	GG	GC	July 24
B	Amended following Technical Comments 2 from BC highways	EV	GG	GC	July 24
A	Amended following comments from BC highways	EV	GG	GC	May 24
Rev	Amendments	Dm	Chk	App	Date



Landmark House
Station Road
Hemel Hempstead
Herts
HP1 2JH
01296 680420

Issued by

Park House
Park Farm
East Malling Trust Estate
Brambourne Lane
Aylesford Kent
ME20 6SN
01732 449760

enquiries@c-a.uk.com
www.c-a.uk.com

Job Title

Kingsbrook, Aylesbury
Bierton Traffic Calming Measures

Drawing Title
General Arrangement Layout
5 of 11

Client
BDW North Thames Ltd

Scale 1:250 @ A1	Date Jan 24	Designed GG
Drawn EV	Checked GW	Approved GAC
Job No 12-005	C & A Drawing No 12-005-505	Rev F
Client Drawing No 12-005-H6700-D2-505		

Cont'd on Drawing 12-005-504

Cont'd on Drawing 12-005-504