


Additional notes as requested by
Buckinghamshire Highways

- Any covers likely to be overrun must be D400 Heavy Duty specification.
- All works must be inspected in accordance with the Council's 'pre-commencement ticksheet' available upon request from the Council's Highways Development Management Team.
- All highway verges effected by the works must be top soiled and seeded prior to the provisional certificate being issued.
- All existing highway reinstatements must be one full lane width minimum i.e to the centreline.
- Any tie-in areas must be discussed and agreed with the Transport Inspector onsite.
- The contractor must present NRSWA accreditation cards upon Inspector's request onsite.
- All lining within the extents of the scheme to be refreshed.



Line Type Schedule (dims in mm)					
Diag.	Width	Colour	Line	Space	Line
1003 A	200	White	600	300	600
1004	100	White	4000	2000	4000
1009 A	100	White	600	300	600
1010	100	White	1000	1000	1000
1028.4	100	White	600	600	600
1049 B	200	White	Continuous		
1023 A		White	3750 long		

Cont'd on Drawing 12-005-507

Cont'd on Drawing 12-005-507

NOTES

- This drawing is to be read in conjunction with the relevant specification and the following drawings:-
12-005-501 to 12-005-505 and 12-005-507 to 12-005-511
- General Arrangement Layouts.
- All materials and workmanship shall comply fully with the Manual of Contract Documents for Highways Works, Specification for Highways Works Volume 1 and the Buckinghamshire County Council Specification for Road Construction and Standard Details.
- Refer to drawings 12-005-512 to 12-005-522 inclusive for Site Clearance Plans.
- Refer to drawings 12-005-523 to 12-005-533 inclusive for Surface Finishes Plans.
- Refer to drawings 12-005-534to 12-005-544 for the Existing Services Plans.
- Do NOT scale from this drawing. Work from figured dimensions and Setting Out information ONLY.

F	Traffic Calming feature moved 0.9m north following comments from property owner	EV	GG	GC	Aug 24
E	Issued for Construction - Technically approved	EV	GG	GC	July 24
D	Lining table amended following Technical Comments 3 from BC highways	EV	GG	GC	July 24
C	Amended following Technical Comments 2 from BC highways	EV	GG	GC	July 24
B	Dimensions added following comments from BC lighting engineering (Atkins realis)	EV	GG	GC	May 24
A	Amended following comments from BC highways	EV	GG	GC	May 24
Rev	Amendments	Dm	Chk	App	Date



**Charles & Associates**

Landmark House
Station Road
Hemel Hempstead
Hampshire
HP27 9HA
01296 680420

enquiries@c-a.uk.com
www.c-a.uk.com

☒ Issued by

☐ Park House
Park Farm
East Malling Trust Estate
Brighthelm Lane
Aylesford Kent
ME20 6SN
01732 449766

Job Title		
Kingsbrook, Aylesbury Bierton Traffic Calming Measures		
Drawing Title		
General Arrangement Layout 6 of 11		
Client		
BDW North Thames Ltd		
Scale	Date	Designed
1:250 @ A1	Jan 24	GG
Drawn	Checked	Approved
EV		
Job No	C & A Drawing No	Rev
12-005	12-005-D2-506	F
Client Drawing No		
12-005-H6700-D2-506		

Cont'd on Drawing 12-005-505

Cont'd on Drawing 12-005-505

ISSUED FOR
CONSTRUCTION

TECHNICALLY
APPROVED BY
ADOPTING AUTHORITY